

RJH Key Messages Issue: 9

Attention: RJH Clinicians, Physicians, Midwives, and support staff.


PRACTICE REMINDERS

Blood Transport Requests

What you need to know: When blood products are ready a Blood Product Ready Notification will display in Care Compass, Launchpoint and the Perinatal Tracking Shell



Blood Product Ready Notifications also display on the **Transfusion Summary CPOE** page



What you need to do: Once you have been notified that a blood product is ready use the Blood/Tissue Transport Request to request the product

A request is required for each product (e.g., 3 requests for 3 units of blood)

To view if a product has been requested use the Transfusion Summary CPOE page – Orders History section




Cancelling Blood Product Orders

If blood product administration orders need to be cancelled (e.g. no longer needed, incorrect product or dose), the provider will need to discontinue the orders electronically AND notify Transfusion Medicine Laboratory by phone.

1. Phone Transfusion Medicine Laboratory to cancel the blood product order.
 - Identify which order needs to be canceled (give patient and product information)
2. Discontinue the Blood Administration (Module) from the Orders Profile.
 - This discontinues the patient care and communication orders but does not discontinue the blood product order
3. Discontinue the Group and Screen (Mini-Set) if applicable and no longer required.
4. Notify the nurse that blood product administration orders have been cancelled.
 - Nursing will then clear the related order notifications and tasks from Care Compass
5. Place a new Blood Administration (module) if required.

Note: Once Transfusion Medicine Laboratory has been notified by phone, they will update the Blood Product Ready Notification to indicate the product has been cancelled.

- Displays as cancelled on the Transfusion Medicine Summary CPOE page



- Displays as cancelled in Results Review
- Does **not** display/alert in Care Compass (related order notifications and tasks in Care Compass need to be cleared by nursing)

CPOE TIPS & TRICKS

ARO Screening

What you need to know: When the ARO Screener is completed and there is a YES and a need for swabs the system does not automatically create orders for screening

What you need to do: As directed in the ARO Screener PowerForm if swabs are required place the order for using CPOE and mark the swab as collected using the specimen collection wizard

MRSA

If YES to any of the questions below:
 - For sites with CPOE, Initiate the 'MRSA Screen' order (including the appropriate specimen type and body site)
 - Collect lab samples for MRSA (See specimen collection below)

	Yes	No	Unable to obtain
Hospital stay (including inter-hospital transfer) greater than 48 hours in the past 12 months?	X		
Is the patient currently residing in a long-term care facility?	X		
Patient or household member has had a wound that would not heal in the past 12 months?	X		
Patient or household member have been told they have MRSA in the past 12 months?		X	
Has the patient used street drugs other than marijuana in the past 12 months?		X	
Has the patient spent time in a correctional facility In the past 3 months?		X	
Has the patient lived on the street or in a shelter in the past 3 months?		X	

Orders for Signature

Order Name	Status	Start	Details
PSY-NRG; OCB; 4 Enc92030063566 Admit: 14-May-2024 10:31 PDT			
Laboratory			
MRSA Screen Culture Order 15-Jun-2024 07:06 ... Nasal and Groin MRSA, Routine collect, 15-Jun-2024 07:06 PDT, ONCE, Nurse Collect			

Details for MRSA Screen Culture

Details | Order Comments | Diagnoses

+ i. [Icons]

*Specimen type: Nasal and Groin MRSA	Body site: [Dropdown]
Fretext Source: [Text]	*Collection priority: Routine
*Collection date and time: 15-Jun-2024 0706 PDT	*Frequency: ONCE
Duration: [Text]	Duration unit: [Dropdown]
Nurse Collect: <input checked="" type="radio"/> Yes <input type="radio"/> No	Send Copies To: [Text]
Send copy to PCP: [Text]	

*Automation of this order is being explored

MAR Medication Task Scheduling


What you need to know: Medication orders automatically populate on the medication administration record (MAR) with standard administration times for the frequency ordered. The order is the root source that creates medication tasks on the MAR to be documented against. You can

reschedule single doses using clinical nursing judgment. Do NOT document on a future task that will require medication documentation.


What you need to do: Medication administration tasks can be rescheduled when required for clinical reasons. Doses can only be rescheduled 72 hours into the future.

Right-click on the medication administration task you want to reschedule.

Select Reschedule This Dose.




- A notice advises you that only one dose will be rescheduled.
2. Click Yes to continue.



3. Enter the Rescheduled date and time.
4. Select the Rescheduling reason from the drop-down menu.

5. Click OK.



Refresh your screen to view the medication administration task under the new time column.

Adding an Additional Dose to the MAR

What do you need to know: The Additional Dose function is available for an active medication order when an additional dose needs to be administered and documented before the next scheduled dose.


What you need to do: The decision to use the Additional Dose function is based on the provider's order and clinical situation requiring patient-specific assessment findings that require clinical judgement.

These are special circumstances, such as:

- A dermal patch medication is missing from the patient and needs to be reapplied.
- A scheduled medication has not been administered for a selected reason, was documented as Not Given, and now the medication needs to be administered.
- An unscheduled dose when the order is initially placed outside of the normal pharmacy scheduled frequencies and the first dose must be given sooner than at the next scheduled round.


Documenting an **Additional Dose** does not reschedule future doses.

- If you are uncertain if an **Additional Dose** is needed, contact the ordering provider.
1. Navigate to the Medication Administration Record (**MAR**) in the menu.
 2. Identify and right-click on the medication that requires an additional dose.
 3. Select **Additional Dose...**



- The **Charting for:** window opens.
4. Review or adjust the **Performed date/time**.

5. Click the green checkmark  to sign your documentation.



Charting for: NRGH NEO. Train Twenty Eight

5

enoxaparin
30 mg, Soln-Inj, SUBCUT, Q24H, Start Date 05-Nov-2020 09:00

*Performed date / time : 17-Feb-2023 11:47 PST 4

*Performed by : Test, Nurse Medical/Surgical

Witnessed by :

*enoxaparin: 30 mg Volume: 0.3 ml

Diluent : <none> ml

*Route : SUBCUT Site :

Total Volume : 0.3 Infused Over : 0

17-Feb-2023 1000 PST	17-Feb-2023 1100 PST	17-Feb-2023 1200 PST	17-Feb-2023 1300 PST	17-Feb-2023 1400 PST	17-Feb-2023 1500 PST

Not Given

Reason :



If you have feedback for us, please email IHealth@islandhealth.ca

FURTHER INFORMATION ON IHEALTH

Trying to remember what was in a previous Summary or Need an Update on IHealth?

Check out the following links:

Where Did I Read That?

<https://intranet.islandhealth.ca/ihealth/Pages/activation-1b.aspx>

IHealth Intranet Homepage

<https://intranet.islandhealth.ca/ihealth/Pages/default.aspx>