

RJH Key Messages Issue: June 16, 2024

Attention: RJH Clinicians, Physicians, Midwives, and support staff.

PRACTICE REMINDERS

Documenting a Specimen Collection	 What you need to know: In order for lab to know you have collected your specimen you need to scan the patient's wrist band and then scan the specimen. Select Specimen Collection from the toolbar. The Collection Details window displays. Scan the patient's wrist band per PPID Scan the label on the specimen, look for the check marks, and sign. 				
Charge Barcode Scanners	*Reminder- to ensure you dock your barcode scanners between use and check the cradle and the dock for good connectivity between shifts. This will ensure they are changed and ready for use.				
Questions about Medication Orders	*Reminder -If you have questions about patient orders connect with the Most Responsible Physician for clarity.				







	Then by: Active/Inactive				
	Sort Orders by: Order Name				
	• The Ascending option is selected				
	Click OK.				
	 *To keep your changes, ensure you have only one chart tab open and use the Exit on the toolbar to close Powerchart. Exiting in this way ensures your customizations will remain when you re-open Powerchart https://wiki.cerner.com/display/VIHACD/Customizing+the+Orders+List+View+and+Medication+List+View 				
Orders Starting Today or	What You Want	Collection	What to do with the Collection Date/Time?		
Tomorrow:		Priority			
One Time	I need it soon	As Soon As	Do not change default.		
	l want it tomorrow morning	AM Early Run	 Do not change default. Ordering cutoff for AM Early Run is 0445. Orders placed between 0445-0800 will have a pop-up to advise that orders forTODAY should be placed as Routine or STAT instead. 		
	I want it for the next collection round	Routine	Do not change default.Lab collects hourly until 2300. Ordering cutoff is 15 minutes before the hour.		
	I need it at 14:00	Timed Study	Enter collection date of today 'T' and time of 14:00.		



CPOE TIPS & TRICKS

Albumin Ordering	What you need to know: When ordering Albumin, you will need to add the						
	milliper dose and the total number of doses.						
	Image: Weight of the second status Details						
	I Alumin 2:5e Product Software and the set of						
	Le delais for Albumin 5% Product Z Details for Albumin 5% Product						
	Torder Comments (C) Offset Details (2) Diagnoses						
	*Clinical Indication Albumin: Post cardiac surgery v	Specify Other Indication:					
	Specify Dat STime:	*Urgency:	DAILY				
	*For a Total Number of Dose(s): 2	*Infusion Rate:	as per monograph				
	*Route: 11/ ~	PRN:	×				
	Special Instructions	Provider to Transfuse:	· ·				
		or of the copy of or a					
		and the state of the second state of the second	in a secoli actionales.				
Related Results in	what you need to know: You o	can view labs while order	ing medication by				
Medication Profile	selecting the Related Results. T	his can be found in the v	iew pane.				
Mpage	I IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		Status Start				
	View Diagnoses & Problems	⊿ 5SE-RJH; S557; OCB-C Enc:92024619870 Admit ⊿ Medications	t: 08-Dec-2023 10:57 PST				
	Related Results (5)	predniSONE	Order 07-Mar-2024 08:				
	147 05-Mar-2024 08:00						
	2.5 05-Mar-2024 08:00						
	25 05-Mar-2024 08:00						
	70 05-Mar-2024 20:00 85 05-Mar-2024 12:00						
	84 05-Mar-2024 11:13						
	130 05-Mar-2024 32:00						
	Nation and a second second		F and the time of				
Range Dose High	wnat you need to know: When	n ordering a RANGE DOS	E medication, the				
Limit Same as Dose	Dose and High Limit (mg) should be the same.						



	🔲 🎒 morphine (morphine Order 16-Jun-2024 00:05 RAI	NGE DOSE 2 mg to 5 mg, Soln-Inj, IV, Q5MIN, PRN for pain, Start Date 16-Jun-2024 00:05 PDT, Give as bolus				
	🖀 Details 😥 Order Comments 🔯 Diagnoses					
	+ S h. I V					
	*Dose: • 5mc •					
	*High Limit (mg): 5	*Unit of Measure: mg v				
	Drug Form: Soln-Inj 🗸	*Route of administration: 🔶 IV 🗸 🗸				
	*Frequency: Q5MIN ×	*PRN: 🔲 pain 🗸 🗸				
	Duration:	Priority (eg. STAT or NOW):				
	*Requested Start Date/Time: 16-Jun-2024 00:05 PDT 🗸	Special Instructions: Give as bolus				
	Stop type:	Stop Date/Time:				
	Use Patient Supply: Yes 💽 No					
Medications with	What you need to know: When or	dering a medication with multiple				
Multiple Routes	routes of administration the drug form must be the same. When its not					
	the same you will need to place multiple orders.					
	the same you will need to place multiple orders.					
	📕 🎒 dimenhyDRINATE (di Order 16-Jun-2024 00:34 RANGE DOSE 25 mg to 50 mg, Soln-Inj, IV/IM, Q4H, PRN for nausea, Start Date 16-Jun-2024 00:34 PDT					
	■ Details for dimenhyDRINATE (dimenhyDRINATE inj - RAM	NGE DOSE)				
	Diagnoses					
	Remaining Ad					
	*Dose: 🥚 50 mg 🗸 🗸	*Low Limit (mg): 25				
	*High Limit (mg): 50	*Unit of Measure: mg v				
	Drug Form: Soln-Inj	*Route of administration: 🔲 IV/IM 🔹				
	*Frequency: 🔷 Q4H 🔍	*PRN: 🔲 nausea 🛛 🗸				
	Duration:	Priority (eg. STAT or NOW):				
	*Requested Start Date/Time: 16-Jun-2024 00:34 PDT V	Special Instructions:				
	Stop type:	Stop Date/Time:				
	Use Patient Supply: Ves (No					



If you have feedback for us, please email IHealth@islandhealth.ca

FURTHER INFORMATION ON IHEALTH

Trying to remember what was in a previous Summary or Need an Update on IHealth?

Check out the following links:

Where Did I Read That?

https://intranet.islandhealth.ca/ihealth/Pages/activation-1b.aspx

IHealth Intranet Homepage

https://intranet.islandhealth.ca/ihealth/Pages/default.aspx

Page 5 of 5